

# ABX 700 N

VERTICAL



eptarefrigeration

PLUG-IN POWER



**ENERG** Y U A  
енергия - енергija IE IA

Epta **ABX 700 NE**

A+++  
A++  
A+  
A  
B  
C  
D  
E  
F  
G

**D**

ENERGIA - ЕНЕРГИЯ - ENERGIA  
ENERGUA - ENERGY - ENERGIE  
ENERGI

**2373**  
kWh/annum

1  
-

460

7  
35°C-75%

2015/1094-IV



# ABX 700 N

VERTICAL



eptarefrigeration

PLUG-IN POWER



## TECHNICAL INFORMATION - INFORMAZIONI TECNICHE - DONNÉES TECHNIQUES TECHNISCHE DATEN - DATOS TECNICOS

ABX 700 N	
<b>Cooling System</b> - Refrigerazione - Sistema Refrigeración Kühlsystem - Condensation	Ventilated - Ventilata - Ventilé Umluftkühlung - Ventilado
<b>Width</b> - Larghezza - Largeur - Länge - Largo (mm)	670
<b>Depth</b> - Profondità - Profondeur - Tiefe - Fondo (mm)	871
<b>Height</b> - Altezza - Hauteur - Höhe - Alto (mm)	1969
<b>Volume in Litres Gross</b> - Volume in Litro Lordo - Volume en litres Brut - Inhalt in Liter brutto - Volumen Bruto	598
<b>Volume in Litres Net</b> - Volume in Litri Netto - Volume en Litres Net - Inhalt in Liter netto - Volumen Neto	500
<b>Operating Temperature from</b> - Temperatura di esercizio da Température de fonctionnement par - Aufbewahrungstemperatur von Temperatura de Funcionamiento desde	-25°C
<b>Operating Temperature to</b> - Temperatura di esercizio a Température de fonctionnement à - Aufbewahrungstemperatur bis Temperatura de Funcionamiento hasta	-18°C
<b>Climate class</b> - Classe climatica - Classe climatique Klimaklasse - Clase climática	7/L1
<b>Refrigerant Gas</b> - Gas Refrigerante -Gaz Réfrigérant Kältemittel - Gas Refrigerante	R290
<b>Energy Consumption</b> - Consumi Energetici Consommation d'Énergie - Energieverbrauch Class - Classe - Classe - Klimaklasse - Clase   3 Ambient - Ambiente - Ambiance - Umgebungs   25°C — Ur 60%	Tec Kwh/24H - 6,50 kWh/Year 2372,50
<b>Defrost System</b> - Sistema di sbrinamento - Système de Dégrivage Abtauart - Sistema de Desescarche	Manual - Manuale - Manuel Manuel - Manual
<b>Class/Index energy efficiency</b> - Classe/Indice effic. energetica Classe/Indice d'effic. énergétique - Energieeffizienzklasse/Index Classe/Indice de eficiencia energética	D - 63,45
<b>Package Dimensions</b> - Dimensione imballo (LxPxX) Dimensions de l'Emballage - Verpackungsabmessungen Dimensiones del Paquete	720x955x2065
<b>Gross Weight/Net Weight</b> - Peso Lordo/Netto - Poids Brut/Net - Bruttogewicht/Nettogewicht Peso Bruto/Neto (kg)	130      122

# ABX 700 N

VERTICAL



eptarefrigeration

PLUG-IN POWER



## TECHNICAL INFORMATION - INFORMAZIONI TECNICHE - DONNÉES TECHNIQUES TECHNISCHE DATEN - DATOS TECNICOS



- Standard safety System
- Sicurezza standard
- Système de sécurité
- Sicherheitssystem
- Sistema de seguridad



- Pastry Version 40 Pan
- Versione Pasticceria 40
- Roues Kit D.80 1 Kit
- Rollen Kit D.80 1 Kit
- Ruedas Kit D.80 1 Kit



- Stainless Steel Feet 1 Kit
- Piedini Inox 1 Kit
- Piesds Inox 1 Kit
- Füße aus Edelstahl Kit
- Patax Inox 1 Kit

## SECTIONS - SEZIONI - SECTIONS - SKIZZEN - SECCIONES

