

BRERA

VENDING



eptarefrigeration

PLUG-IN POWER



ENERGY CLASS






TECHNICAL INFORMATION - INFORMAZIONI TECNICHE - DONNÉES TECHNIQUES TECHNISCHE DATEN - DATOS TECNICOS

BRERA	
Cooling System - Refrigerazione - Sistema Refrigeración Kühlsystem - Condensation	Ventilated - Ventilata - Ventilé Umluftkuhlung - Ventilado
Width - Larghezza - Largeur - Länge - Largo (mm)	743
Depth - Profondità - Profondeur - Tiefe - Fondo (mm)	835
Height - Altezza - Hauteur - Höhe - Alto (mm)	1834
Volume in Litres Gross - Volume in Litro Lordo - Volume en litres Brut - Inhalt in Liter brutto - Volumen Bruto	534
Volume in Litres Net - Volume in Litri Netto - Volume en Litres Net Inhalt in Liter netto - Volumen Neto	452
Operating Temperature from - Temperatura di esercizio da Température de fonctionnement par - Aufbewahrungstemperatur von Temperatura de Funcionamiento desde	-1°C
Operating Temperature to - Temperatura di esercizio a Température de fonctionnement à - Aufbewahrungstemperatur bis Temperatura de Funcionamiento hasta	+7°C
Climate class - Classe climatica - Classe climatique Klimaklasse - Clase climática	4/M2
Refrigerant Gas - Gas Refrigerante -Gaz Réfrigérant Kältemittel - Gas Refrigerante	R290
Energy Consumption - Consumi Energetici Consumation d'Énergie - Energieverbrauch Class - Classe - Classe - Klimaklasse - Clase 3 Ambient - Ambiente - Ambiance - Umgebungs 25°C — Ur 60%	Tec Kwh/24H: 1,07 (B) / 1,74 (C) kWh/Year: 390,55 (B) / 635,1 (C)
Defrost System - Sistema di sbrinamento - Système de Dégrivage Abtauart - Sistema de Desescarche	Automatic - Automatico Automatique - Heißgasabtauung Automático
Class/Index energy efficiency - Classe/Indice eff. energetica Classe/Indice d'effic. énergétique - Energieeffizienzklasse/Index Classe/Indice de eficiencia energética	B/18,1 - C/29,5
Package Dimensions - Dimensione imballo (LxPxA) Dimensions de l'Emballage - Verpackungsabmessungen - Dimensiones del Paquete	785x930x1954
Gross Weight/Net Weight - Peso Lordo/Netto - Poids Brut/Net - Bruttogewicht/Nettogewicht Peso Bruto/Neto (kg)	225 - 215
Lighting - Illuminazione - Eclairage Beleuchtung - Iluminación	LED



SECTIONS - SEZIONI - SECTIONS - SKIZZEN - SECCIONES



CONFIGURAZIONE STD BRERA

