

# COUNTER 50 GLASS

COUNTER



eptarefrigeration

PLUG-IN POWER



COUNTER 50 GLASS SILVER



COUNTER 50 GLASS BLACK



ENERGY CLASS





COUNTER 50 GLASS	
<b>Cooling System</b> - Refrigerazione - Sistema Refrigeración Kühlsystem - Condensation	Static - Statica - Statique Stillekühlung - Estática
<b>Width</b> - Larghezza - Largeur - Länge - Largo (mm)	435
<b>Depth</b> - Profondità - Profondeur - Tiefe - Fondo (mm)	500
<b>Height</b> - Altezza - Hauteur - Höhe - Alto (mm)	494
<b>Volume in Litres Gross</b> - Volume in Litro Lordo - Volume en litres Brut Inhalt in Liter brutto - Volumen Bruto	55
<b>Volume in Litres Net</b> - Volume in Litri Netto - Volume en Litres Net Inhalt in Liter netto - Volumen Neto	50
<b>Operating Temperature from</b> - Temperatura di esercizio da Température de fonctionnement par - Aufbewahrungstemperatur von Temperatura de Funcionamiento desde	0°C
<b>Operating Temperature to</b> - Temperatura di esercizio a Température de fonctionnement à - Aufbewahrungstemperatur bis Temperatura de Funcionamiento hasta	+7°C
<b>Climate class</b> - Classe climatica - Classe climatique Klimaklasse - Clase climática	CC2/K1
<b>Refrigerant Gas</b> - Gas Refrigerante -Gaz Réfrigérant Kältemittel - Gas Refrigerante	R600a
<b>Energy Consumption</b> /Consumi Energetici/Consommation d'Énergie/Energieverbrauch/Class/Classe/Clas-se/Klimaklasse/ Clase 3 Ambient/Ambiente/Ambiance/Umge-bungs 25 ° C - Ur 60%	Tec Kwh/24H - 0,85 kWh/Year - 310,25
<b>Defrost System</b> - Sistema di sbrinamento - Système de Dégrivage Abtauart - Sistema de Desescarche	Automatic - Automatico - Automatique - Automatisch - Automático
<b>Class/Index energy efficiency</b> - Classe/Indice eff. energetica Classe/Indice d'effic. énergétique - Energieeffizienzklasse/Index Clase/Indice de eficiencia energética	C- 34,4
<b>Package Dimensions</b> - Dimensione imballo (LxPxX) Dimensions de l'Emballage - Verpackungsabmessungen Dimensiones del Paquete	480x511x543
<b>Gross Weight/Net Weight</b> - Peso Lordo/Netto - Poids Brut/Net - Bruttogewicht/Nettogewicht Peso Bruto/Neto (kg)	25-22
<b>Lighting</b> - Illuminazione - Eclairage Beleuchtung - Iluminación	LED



# COUNTER 50 GLASS

COUNTER



eptarefrigeration

PLUG-IN POWER

