

COUNTER 68 GLASS

COUNTER



eptarefrigeration

PLUG-IN POWER



COUNTER 68 GLASS SILVER



COUNTER 68 GLASS BLACK



ENERGY CLASS





COUNTER 68 GLASS	
Cooling System - Refrigerazione - Sistema Refrigeración Kühlsystem - Condensation	Static - Statica - Statique Stillekühlung - Estática
Width - Larghezza - Largeur - Länge - Largo (mm)	435
Depth - Profondità - Profondeur - Tiefe - Fondo (mm)	500
Height - Altezza - Hauteur - Höhe - Alto (mm)	680
Volume in Litres Gross - Volume in Litro Lordo - Volume en litres Brut - Inhalt in Liter brutto - Volumen Bruto	75
Volume in Litres Net - Volume in Litri Netto - Volume en Litres Net Inhalt in Liter netto - Volumen Neto	68
Operating Temperature from - Temperatura di esercizio da Température de fonctionnement par - Aufbewahrungstemperatur von Temperatura de Funcionamiento desde	0°C
Operating Temperature to - Temperatura di esercizio a Température de fonctionnement à - Aufbewahrungstemperatur bis Temperatura de Funcionamiento hasta	+7°C
Climate class - Classe climatica - Classe climatique Klimaklasse - Clase climática	CC2/K1
Refrigerant Gas - Gas Refrigerante -Gaz Réfrigérant Kältemittel - Gas Refrigerante	R600a
Energy Consumption/Consumi Energetici/Consommation d'Énergie/Energieverbrauch/Class/Classe/Clas-se/Klimaklasse/ Clase 3 Ambient/Ambiente/Ambiance/Umgebungs 25 ° C - Ur 60%	Tec Kwh/24H - 0,85 kWh/Year - 310,25
Defrost System - Sistema di sbrinamento - Système de Dégrivage Abtauart - Sistema de Desescarche	Automatic - Automatico - Automatique - Automatisch - Automático
Class/Index energy efficiency - Classe/Indice effic. energetica Classe/Indice d'effic. énergétique - Energieeffizienzklasse/Index Classe/Indice de eficiencia energética	C- 33,2
Package Dimensions - Dimensione imballo (LxPxX) Dimensions de l'Emballage - Verpackungsabmessungen Dimensiones del Paquete	480x511x726
Gross Weight/Net Weight - Peso Lordo/Netto - Poids Brut/Net - Bruttogewicht/Nettogewicht Peso Bruto/Neto (kg)	26-24
Lighting - Illuminazione - Eclairage Beleuchtung - Iluminación	LED



COUNTER 68 GLASS

COUNTER



eptarefrigeration

PLUG-IN POWER

