

GLEE 42 PRIME

VERTICAL



eptarefrigeration

PLUG-IN POWER



GLEE 42 PRIME

VERTICAL



eptarefrigeration

PLUG-IN POWER



TECHNICAL INFORMATION - INFORMAZIONI TECNICHE - DONNÉES TECHNIQUES TECHNISCHE DATEN - DATOS TECNICOS

| GLEE 42 PRIME | |
|---|---|
| Cooling System - Refrigerazione - Sistema Refrigeración Kühlsystem - Condensation | Ventilated - Ventilata - Ventilé Umluftkuhlung - Ventilado |
| Width - Larghezza - Largeur - Länge - Largo (mm) | 670 |
| Depth - Profondità - Profondeur - Tiefe - Fondo (mm) | 625 |
| Height - Altezza - Hauteur - Höhe - Alto (mm) | 1964 |
| Volume in Litres Gross - Volume in Litro Lordo - Volume en litres Brut - Inhalt in Liter brutto - Volumen Bruto | 410 |
| Volume in Litres Net - Volume in Litri Netto - Volume en Litres Net Inhalt in Liter netto - Volumen Neto | 258 |
| Operating Temperature from - Temperatura di esercizio da Température de fonctionnement par - Aufbewahrungstemperatur von Temperatura de Funcionamiento desde | -1°C |
| Operating Temperature to - Temperatura di esercizio a Température de fonctionnement à - Aufbewahrungstemperatur bis Temperatura de Funcionamiento hasta | +7°C |
| Climate class - Classe climatica - Classe climatique Klimaklasse - Clase climática | 4/M2 |
| Refrigerant Gas - Gas Refrigerante -Gaz Réfrigérant Kältemittel - Gas Refrigerante | R290 |
| Energy Consumption - Consumi Energetici Consommation d'Énergie - Energieverbrauch Tec Kwh/24H — Class - Classe - Klasse - Klimaklasse - Clase 3 Ambient - Ambiente - Ambiance - Umgebungs 25°C — Ur 60% | 2,5 |
| Defrost System - Sistema di sbrinamento - Système de Dégrivage Abtauart - Sistema de Desescarche | Automatic - Automatico Automatique - Heißgasabtauung Automático |
| Package Dimensions - Dimensione imballo (LxPxA) Dimensions de l'Emballage - Verpackungsabmessungen Dimensiones del Paquete | 700x680x2100 |
| Gross Weight - Peso Lordo - Poids Brut - Bruttogewicht Peso Bruto (kg) | 128 |
| Net Weight - Peso Netto - Poids Net - Nettogewicht - Peso Neto (kg) | 119 |
| Lighting - Illuminazione - Eclairage Beleuchtung - Iluminación | LED |

GLEE 42 PRIME

VERTICAL



eptarefrigeration

PLUG-IN POWER



SECTIONS - SEZIONI - SECTIONS - SKIZZEN - SECCIONES

