

GLEE GLASS WINERY



eptarefrigeration

PLUG-IN POWER



VERTICAL





GLEE GLASS WINERY	
Cooling System - Refrigerazione - Sistema Refrigeración Kühlsystem - Condensation	Ventilated - Ventilata - Ventilé Umluftkuhlung - Ventilado
Width - Larghezza - Largeur - Länge - Largo (mm)	670
Depth - Profondità - Profondeur - Tiefe - Fondo (mm)	660
Height - Altezza - Hauteur - Höhe - Alto (mm)	1965
Volume in Litres Gross - Volume in Litro Lordo - Volume en litres Brut - Inhalt in Liter brutto - Volumen Bruto	420
Volume in Litres Net - Volume in Litri Netto - Volume en Litres Net Inhalt in Liter netto - Volumen Neto	280
Operating Temperature from - Temperatura di esercizio da Température de fonctionnement par - Aufbewahrungstemperatur von Temperatura de Funcionamiento desde	White Wine: +6°C Red Wine: +14°C
Operating Temperature to - Temperatura di esercizio a Température de fonctionnement à - Aufbewahrungstemperatur bis Temperatura de Funcionamiento hasta	White Wine: +12°C Red Wine: +18°C
Climate class - Classe climatica - Classe climatique Klimaklasse - Clase climática	4/S
Refrigerant Gas - Gas Refrigerante -Gaz Réfrigérant Kältemittel - Gas Refrigerante	R290
Energy Consumption - Consumi Energetici Consommation d'Énergie - Energieverbrauch Tec Kwh/24H — Class - Classe - Classe - Klimaklasse - Clase 3 Ambient - Ambiente - Ambiance - Umgebungs 25°C — Ur 60%	2,50
Package Dimensions - Dimensione imballo (LxPxA) Dimensions de l'Emballage - Verpackungsabmessungen Dimensiones del Paquete	700x690x2120
Gross Weight - Peso Lordo - Poids Brut - Bruttogewicht Peso Bruto (kg)	129
Net Weight - Peso Netto - Poids Net - Nettogewicht - Peso Neto (kg)	121



GLEE GLASS WINERY

VERTICAL



eptarefrigeration

PLUG-IN POWER



SECTIONS - SEZIONI - SECTIONS - SKIZZEN - SECCIONES

