

GLEE X-SLIM NV

VERTICAL



epta refrigeration

PLUG-IN POWER



ENERGY CLASS





TECHNICAL INFORMATION - INFORMAZIONI TECNICHE - DONNÉES TECHNIQUES TECHNISCHE DATEN - DATOS TECNICOS

GLEE X-SLIM NV	
Coolin System - Refrigerazione - Condensation - Kühlsystem - Sistema Refrigeración	Ventilated - Ventilata - Ventilé Umluftkühlung - Ventilado
Width - Larghezza - Largeur - Länge - Largo (mm)	380
Depth - Profondità - Profondeur - Tiefe - Fondo (mm)	566
Height - Altezza - Hauteur - Höhe - Alto (mm)	1811
Volume in Litres Gross - Volume in Litro Lordo - Volume en litres Brut - Inhalt in Liter brutto - Volumen Bruto	170
Volume in Litres Net - Volume in Litri Netto - Volume en Litres Net - Inhalt in Liter netto - Volumen Neto	150
Operating Temperature from - Temperatura di esercizio da - Température de fonctionnement par - Aufbewahrungstemperatur von - Temperatura de Funcionamiento desde	-25°C
Operating Temperature to - Temperatura di esercizio a - Température de fonctionnement à - Aufbewahrungstemperatur bis - Temperatura de Funcionamiento hasta	-18°C
Climate class - Classe climatica - Classe climatique - Klima-klasse - Clase climática	7/L1
Refrigerant Gas - Gas Refrigerante -Gaz Réfrigérant - Kältemittel - Gas Refrigerante	R290
Energy Consumption /Consumi Energetici/Consommation d'Énergie/Energieverbrauch/Class/Classe/Classe/Klimaklasse/Clase 3 Ambient/Ambiente/Ambiance/Umgebungs 25 ° C - Ur 60%	Tec Kwh/24H - 7,6 kWh/ Year - 2774
Defrost System - Sistema di sbrinamento - Système de Dégivrage - Abtauart - Sistema de Desescarche	Automatic - Automatico Automatique - Heißgasabtauung Automático
Class/Index energy efficiency - Classe/Indice effic. energetica Classe/Indice d'effic. énergétique - Energieeffizienzklasse/Index Classe/Indice de eficiencia energética	D - 48,5
Package Dimensions - Dimensione imballo (LxPxA) Dimensions Emballage - Verpackungsabmessungen - Dimensiones del Paquete	560x1951x666
Gross Weight/Net Weight - Peso Lordo/Netto - Poids Brut/Net - Bruttogewicht/Nettogewicht Peso Bruto/Netto (kg)	93 - 81

GLEE X-SLIM NV

VERTICAL



eptarefrigeration

PLUG-IN POWER



SECTIONS - SEZIONI - SECTIONS - SKIZZEN - SECCIONES

